

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48

Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курган (3522)50-90-47
Курск (4712)77-13-04
Липецк (4742)52-20-81
Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Ноябрьск (3496)41-32-12

Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Пермь (342)205-81-47
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саранск (8342)22-96-24
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35

Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35
Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Улан-Удэ (3012)59-97-51
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

<https://gea.nt-rt.ru/> || gsg@nt-rt.ru

СИСТЕМЫ ПИВОВАРЕННЫЕ

CO2 RECOVERY SYSTEM

Технические характеристики



Intelligent refrigeration technology ...

Refrigeration plants are of central importance in a We plan and construct refrigeration plants for brewery. With about 40 %, refrigeration is one of the any application in the brewing and malting industry, largest electrical power consumers and refrigeration always with regard to the quality of the beer and directly influences beer quality. optimum energy consumption.

To realize functional and economical solutions, The final product is decisive; refrigeration is an expertise from both worlds, refrigeration technology essential tool. With integral tailor-made refrigeration and the brewing process, is essential. GEA Brewery management we ensure an optimum refrigeration Systems has decades of experience and our experts cycle: The right refrigerating capacity at the right time in the right place. High economic efficiency is accompanied by maximum operational reliability and a long service life.




Experience in brewery refrigeration

For over 80 years GEA Brewery Systems has been active in the refrigeration sector world-wide. We have built complete units with a refrigerating capacity ranging from 100 to 10,000 kW and can provide excellent references for the modernization and optimization of existing plants. Thanks to our global experience and certifications, we can plan and build according to country-specific conditions – such as technical standards or legal guidelines.


... adapted to the brewing process.

**Extremely efficient:
multiple-temperature circuit**

Anyone who wants to use refrigeration technology as efficiently as possible will opt for a multi-temperature circuit. The system is divided into circuits with different temperature levels, which are optimally adjusted to the respective consumption of the different refrigeration appliances in the brewing process. Ammonia is recommended as a cooling medium for the cooling of the fermenting and storage tanks; yeast plants and product coolers are cooled with glycol, pre-cooled brewing water is mostly recommended for wort cooling.



The multiple-temperature circuit provides every single consumer with the optimum refrigerant. Generally speaking, the higher the evaporation temperature at a reasonable energy level. This saves energy as well as operating costs and benefits the environment – an important aspect.



Intelligent control for optimized processes.

GEA Brewery Systems ensures the optimization of refrigeration processes with intelligent control concepts. Our control systems analyze the prevailing environmental conditions as well as the technological requirements of the brewery and, based on the results, calculate the optimum operating point of the refrigeration plant.

All consumers are supplied with cooling as required, and at the same time, the plant equipment is continuously adjusted to the optimum operating point. The system offers maximum flexibility and reliability, while the electrical energy required for generating the corresponding refrigeration capacity is reduced.

Condensing temperature control depending on the prevailing environmental conditions in order to

- Optimize the drive power of compressor and condenser
- Reduce electric power consumption of the refrigeration

Variable speed refrigerant pumps for



- Supplying the consumers with coolant according to demand
- Reduce amount of circulating coolant
- Less pump drive power



Continuous plant monitoring and data collection
• Enables data evaluation for weak point analysis

Optimum operating conditions

Thanks to their application-specific control systems, our refrigeration plants provide optimum operating conditions.



Excellent experience with ammonia.



GEA Brewery Systems was one of the first refrigeration plant manufacturers to count on the natural refrigerant ammonia.

Direct cooling of fermentation tanks with ammonia offers significant advantages:

The energy density of the evaporating ammonia is several times higher compared to coolants, such as glycol/water mixtures. This results in smaller pipe diameters and reduced pump capacity.


Furthermore, additional transmission losses (usually about 10%) between ammonia and coolant are eliminated.

Another advantage of direct fermenter cooling with ammonia: the evaporation temperature can be easily controlled over a wide performance and temperature range. Therefore, the technological process is supported by the flexible cooling profile.

The energy savings with direct ammonia cooling compared to indirect cooling with glycol are up to 14 %. This technology is unbeatable when it comes to efficiency and cost-effectiveness.


Tank cooling with NH_3 direct expansion

Direct expansion with a variable evaporation temperature of the refrigerant offers very flexible control options.



Tank cooling system with glycol water

Constant flow temperatures prevail during cooling with cooling media. Temperature control is effected by a clocked g zones.



Efficient CO₂ recovery ...

Besides an efficient cooling management, The utilization of carbon dioxide from the own modern CO₂ recovery plants are another important fermenters guarantees perfect quality control – an factor to ensure optimum product quality. Beyond that, advantage that no other source can offer. With the this technology offers significant potential for cost stripping technology, even the CO₂ from early savings and contributes to an ecologically responsible fermentation phases can be recovered. production.


Our customers profit from our networked thinking also
As experts in their field, our customers are perfectly in CO₂ recovery: GEA Brewery Systems ensures a aware of how important the purity of the CO₂ is for the perfect and seamless integration of the CO₂ recovery quality of the final product. Even the least amount of plant into existing or planned energy supply systems. residual oxygen in the carbon dioxide has a This results in an improved efficiency on the CO₂ and detrimental effect on the flavour stability of the beer. refrigeration side of your plant and in reduced capital investment.

CO₂ recovery plants from GEA Brewery Systems offer convincing advantages: maximum purity, maximum operational reliability and low operating costs.



CO₂ recovery on any scale

Since 1987 GEA Brewery Systems has built a large number of CO₂ units, ranging in size from 30 to 2,500 kg/h. Every unit is exactly tailored to the respective brew size, brewing sequence and original wort content. Prefabricated functional units in combination with a standardized process flow ensure smooth installation and commissioning. Therefore investments pay off very quickly.




... one cost factor less.

Utilize the potential, save energy

GEA Brewery Systems pays special attention to energy recovery.


In many breweries, liquid CO₂ is stored at about -25 °C and evaporated as needed. Regardless of whether purchased or own CO₂ is used – the evaporating CO₂ always represents a source of energy, which can help reduce the load on the refrigeration system.

With our intelligent system solutions, we ensure that this potential is fully exploited.



Heat recovery

Heat from the return line of the glycol circuit is used for CO₂ evaporation, thus leading to savings during the required recooling in the refrigeration plant.



FACTS & FIGURES:

- Technological competence
- Innovative design with a focus on the brewing process
- Certified quality for high durability and reliability
- Sustainable technological solutions worldwide
- Comprehensive support – from planning to execution and maintenance

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48

Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курган (3522)50-90-47
Курск (4712)77-13-04
Липецк (4742)52-20-81
Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Ноябрьск (3496)41-32-12

Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Пермь (342)205-81-47
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саранск (8342)22-96-24
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35

Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35
Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Улан-Удэ (3012)59-97-51
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

<https://gea.nt-rt.ru/> || gsg@nt-rt.ru