

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48

Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курган (3522)50-90-47
Курск (4712)77-13-04
Липецк (4742)52-20-81
Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Ноябрьск (3496)41-32-12

Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Пермь (342)205-81-47
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саранск (8342)22-96-24
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35

Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35
Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Улан-Удэ (3012)59-97-51
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

<https://gea.nt-rt.ru/> || gsg@nt-rt.ru

СИСТЕМЫ УПРАВЛЕНИЯ НАВОЗОМ LAGOON AGI-POMPE Технические характеристики



Lagoon Agi-Pompe and Super Pump

These heavy-duty pumps will rapidly homogenize liquid manure in lagoons. Our lagoon pumps will provide you with excellent stability to work safely.

Lagoon Agi-Pompe

Hog Slurry & Dairy Manure	Maximum transfer consistency 3/4" (19 mm)
	Maximum agitation consistency 1 1/2" (38 mm)
✓ Straw ✓ Sawdust ✓ Sand*	



To homogenize liquid manure using a tractor with a minimum of 80 HP. 540 RPM only.
Available in 1000 RPM for tractors with a minimum of 160 HP.
* With optional abrasive resistant steel housing and bottom plate.



Agi-Pompe H eller Imp

20" (508 mm) or 24" (610 mm) impeller.



Draw Bar and Hitch
Length and angle are adjustable to avoid PTO vibration.





Lagoon Super Pump

Hog Slurry & Dairy Manure	Maximum transfer consistency 3/4" (19 mm)	
	Maximum agitation consistency 2 1/4" (57 mm)	
✓ Straw	✓ Sawdust	✓ Sand*

* With optional abrasion resistant steel housing and bottom plate.
to handle slurry using a tractor with a minimum of 80 HP. 540 RPM.


Available in 1000 RPM for tractors with a minimum of 180 HP.

* With optional abrasion resistant housing and bottom plate.

The information above applies to 23" (584 mm) impeller.

Super Pump Housing and Impeller

20" (508 mm) impeller with 540 RPM
23" (584 mm) impeller with 1000 R



Lagoon Agi-Pompe and Super Pump


Undercarriage

Five robust trailers expressly designed to fit every lagoon pump.

Standard Undercarriage

Heavy-Duty Undercarriage

Heavy-Duty Undercarriage with Articulated Stabilizer Wheels



Undercarriage Compatibility

Undercarriage Models					
Pump Lengths Available	Standard	Heavy-Duty	Heavy-Duty XL	Articulated Stab. Wheels	Multipurpose
32' (9.8 m) 14' (4.3 m) lagoon depth Slope of 2 to 1	Included	Option	Option	Option	Option
42' (12.8 m) 18' (5.5 m) lagoon depth Slope of 2 to 1	Included	Option	Option	Option	Option
52' (15.9 m) 22' (6.7 m) lagoon depth Slope of 2 to 1	-	Included	Option	Option	Option
62' (18.9 m) 22' (6.1 m) lagoon depth Slope of 3 to 1	-	-	Included	-	-
72' (22 m) 22' (6.7 m) lagoon depth Slope of 3 to 1	-	-	Included	-	-
- : Not available					

Lagoon Agi-Pompe CA8

This model of lagoon Agi-Pompe is especially designed to manage manure in deep lagoons.

The nozzle and the directional valve are located above the liquid level allowing easy maintenance when required. The Lagoon Agi-Pompe CA8 is available in three different lengths: 32, 42 and 52 feet (10, 13 and 16 m) and its 8" (200 mm) discharge ensure a fast manure loading.

Key Features

8" (200 mm) discharge;

Height adjustment hinged undercarriage with floatation tires.

Air relief valve;

Heavy-duty drive line with #55 PTO;

Easy access for maintenance of the driveline joint;

Low maintenance gearbox protected by our 3 seal system on each shaft to protect against contamination;

8" (200 mm) directional valve for either agitate or transfer manure. It can be operated while pump is at low RPM;

Nozzle mounted above the liquid with 180° horizontal rotation and 130° vertical articulation;

4" adjustable nozzle

Double-hinged articulation on agitation nozzle for constant flow with less restriction;

Impeller housing made of Abrasion Resistant steel.

Remote Grease Line Kit to lubricate the bearing housing without removing the pump;

Knife kit on propeller.

Typical Application

The Lagoon Agi-Pompe CA8 homogenizes liquid manure using a tractor with a minimum of 80 HP – 540 RPM.

Also available in 1000 RPM.

Options

Multipurpose undercarriage for 32', 42' and 52' (10, 13 and 16 m) with or without double wheels



По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48

Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курган (3522)50-90-47
Курск (4712)77-13-04
Липецк (4742)52-20-81
Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Ноябрьск (3496)41-32-12

Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Пермь (342)205-81-47
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саранск (8342)22-96-24
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35

Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35
Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Улан-Удэ (3012)59-97-51
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

<https://gea.nt-rt.ru/> || gsg@nt-rt.ru