

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48

Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курган (3522)50-90-47
Курск (4712)77-13-04
Липецк (4742)52-20-81
Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Ноябрьск (3496)41-32-12

Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Пермь (342)205-81-47
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саранск (8342)22-96-24
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35

Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35
Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Улан-Удэ (3012)59-97-51
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

<https://gea.nt-rt.ru/> || gsg@nt-rt.ru

МАШИНЫ ДЛЯ НАРЕЗКИ И ЗАГРУЗКИ ГОТОВОГО ПРОДУКТА OPTISLICER

Технические характеристики





Calibrated sausage



Cooked ham



Salami



Processed cheese

GEA OptiSlicer 6000

The Optimum in Precision

for regular-shaped products such as calibrated sausage, salami, cooked ham and cheese. The slicer includes a range of technological advancements that will help you to improve productivity and maximize product output and yield. The optimum in precision means perfect slicing and portioning quality, high-performance design and flexible operation. Eye-level electronics and the new high-resolution GEA SmartControl HMI enables operators to manage complete production lines and change recipes very quickly. The slicer is easy to maintain, ultimately reliable and benefits from our online remote access and maintenance service. GEA OptiSlicer 6000 can be integrated into fully automated slicing and packaging lines.


The GEA Line Control system is optionally available.

High-performance GEA SlicerBlades

The slicer uses a 40° slicing angle that provides outstanding slicing quality. Screwed on balancing weights on the blade are avoided to improve hygiene and minimize noise emissions. Our slicing blades have an optimized geometry and a new Teflon coating, called GEA Resyst, for an even smoother, more accurate cut and better portion control. The new coating provides the benefits of prolonged durability, reduced friction and less protein clogging.

Performance at a glance:

- Idle-cut rotor with controlled shear edge distance
- Wide cutting cross section max. width 500 mm, max. height 200 mm
- Maximum 1,500 rpm blade speed (optional up to 2,000 rpm without idle-cuts)
- Motor-driven rotor head adjustable vertically
- Fast changeover of gripper, blade and recipe
- Product log lengths 1,200 mm or 1,850 mm for flexibility
- Machine execution standard or mirrored
- Durable, high quality and dedicated GEA slicing blade design



Technical Data GEA OptiSlicer 6000

Technical data	GEA OptiSlicer 6000
Type of blade	Involute blade
Blade size	R 470 mm
Blade speed	max. 1,500 rpm (optional up to 2,000 rpm without idle-cuts)
Cutting cross-section*	Width of 500 mm up product height 145 mm
Width	270 – 500 mm
Height	200 – 145 mm
Max. product length	max. 1,200 mm / 1,850 mm
Machine dimensions L x H x W	3,700 × 2,480 × 1,910 mm**
Product loading	Automatic
Weight	2,880 kg (**depending on specifications)

*Depending on machine configuration, product properties and application

**Dimensions for 1,200 mm version

Power supply (max.): 11 kW; compressed air in accordance with 7:4:4-ISO8573-1: 6 bar 15 – 600 L/min., depending on machine's specification.

Noise emission in accordance with EN ISO 11204: < 78 db (A).



GEA OptiScanner 600 / 1200



GEA Check 4000



GEA slicing, loading and packaging line solution

Please contact us for different applications, loading and packaging systems are available on request!

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48

Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курган (3522)50-90-47
Курск (4712)77-13-04
Липецк (4742)52-20-81
Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Ноябрьск (3496)41-32-12

Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Пермь (342)205-81-47
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саранск (8342)22-96-24
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35

Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35
Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Улан-Удэ (3012)59-97-51
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

<https://gea.nt-rt.ru/> || gsg@nt-rt.ru